

Publications

- 110 New ruthenium(II) catalysts enable the synthesis of 2-amino-4H-chromenes using primary alcohols via acceptorless dehydrogenative coupling
V. Tamilthendral, R. Ramesh* and J. G. Malecki, **New. J. Chem.**, 2022
<https://doi.org/10.1039/d2nj03268f>, IF:3.925; ISSN: 1369-9261
- 109 Impact of Biphenyl Benzhydrazone-Incorporated Arene Ru(II) Complexes on Cytotoxicity and the Cancer Cell Death Mechanism
A. Abirami, R. Ramesh*, U. Devan and A.A.J. Velanganni, **Organometallics**, 2022, 41(17), 2474-2486. <https://doi.org/10.1021/acs.organomet.2c00290>
IF: 3.876; ISSN: 1099-0739.
- 108 Arene Ru (II)-catalyzed facile synthesis of N-acylhydrazones via acceptorless dehydrogenative coupling strategy
S. Saranya, R. Ramesh*, P. Anandaraj and D. Semeril, **Appl. Organomet. Chem.**, 2022, 36(10)e6857. <https://doi.org/10.1002/aoc.6857>, IF: 4.105; ISSN: 1099-0739.
- 107 Concise access to perimidines by palladium (II) complexes via acceptorless dehydrogenative coupling of alcohols
S. Clinton, R. Ramesh* and G. Malecki, **Appl. Organomet. Chem.**, 2022, 36(7) e6708. <https://doi.org/10.1002/aoc.6708>, IF: 4.105; ISSN: 1099-0739.
- 106 NNO Pincer Ligand-Supported Palladium(II) Complexes: Direct Synthesis of Quinazolines via Acceptorless Double Dehydrogenative Coupling of Alcohols
S. Balaji, R. Ramesh* and D. Semeril, **Organometallics**, 2022, 41(11), 1314-1324. <https://doi.org/10.1021/acs.organomet.2c00062>, IF: 3.876; ISSN: 1099-0739.
- 105 N^NO Hydrazone Capped Pincer Type Palladium Complex Catalysed Construction of Quinazolinones from Alcohols
P. Anandaraj, R. Ramesh* and T. Sathiya Kamatchi, **Inorg. Chem. Commun.**, 137 (2022)109190. DOI: <https://doi.org/10.1016/j.inoche.2021.109190>
<https://doi.org/10.1016/j.inoche.2021.109190> IF: 2.495; ISSN: 1387-7003.
- 104 Ru(II)-NNO pincer-type complexes catalysed E-olefination of alkyl-substituted quinolones/pyrazines utilizing primary alcohols
V. Tamilthendral, R. Ramesh* and G. Malecki, **Appl. Organomet. Chem.**, 2021, e6561. <https://doi.org/10.1002/aoc.6561>. IF: 4.105; ISSN: 1099-0739.
- 103 Nickel(II)-Catalyzed Selective (E)-olefination of Methyl Heteroarenes Using Benzyl Alcohols via Acceptorless Dehydrogenative Coupling Reaction
G. Balamurugan and R. Ramesh*, **ChemCatChem.**, 2021, 13, 1-9.
<https://doi.org/10.1002/cctc.202101455>. IF: 5.686; ISSN: 1867-3880.
- 102 Assessment of Antiproliferative activity of New Half-sandwich Arene Ru(II) furylbenzhydrazone complexes
P. Ramya, R. Ramesh*, U. Devan, A.A.J. Velanganni and J. G. Małecki, **Appl. Organomet. Chem.**, 2021; e6512. <https://doi.org/10.1002/aoc.6512>. IF: 4.105; ISSN: 1099-0739.
- 101 Palladium(II) N,N,O-Pincer Type Complexes Mediated Dehydrogenative Coupling of Alcohols to Quinazolines

- P. Anandaraj, R. Ramesh* and P. Kumaradhas, **New. J. Chem.**, 2021,**45**, 16572-16580
<https://doi.org/10.1039/D1NJ03146E>, IF:3.591; ISSN: 1369-9261
- 100 Palladium(II) N[^]O Chelating Complexes Catalyzed One-pot Approach for Synthesis of Quinazolin-4(3H)-ones via Acceptorless Dehydrogenative Coupling of Benzyl alcohols and 2-Aminobenzamide
S. Balaji, G. Balamurugan, R. Ramesh* and D. Semeril, **Organometallics**, 2021, 40, 6, 725–734. <https://doi.org/10.1021/acs.organomet.0c00814>. IF: 3.876; ISSN: 1099-0739.
- 99 Arene Diruthenium(II) Mediated Synthesis of Imines from Alcohols and Amines Under Aerobic Condition
V. Tamilthendral, R. Ramesh* and G. Malecki, **Appl. Organomet. Chem.**, 2020; e6122
[Doi.org/10.1002/aoc.6122](https://doi.org/10.1002/aoc.6122), IF:4.105; ISSN:1099-0739
- 98 Non-pincer-type Arene Ru(II) Catalysts for the Direct Synthesis of Azines from Alcohols and Hydrazine under Aerobic Conditions
S. Saranya, R. Ramesh* and D. Semeril, **Organometallics**, (2020) 39, 17, 3194-3201.
[DOI:10.1021/acs.organomet.0c00367](https://doi.org/10.1021/acs.organomet.0c00367), IF: 3.876; ISSN:1099-0739.
- 97 Investigations on Antiproliferative Activity and Apoptosis Mechanism of New Arene Ru(II) Carbazole based Hydrazone Complexes
T. Sathiya Kamatchi, M.M. Khan, R. Ramesh*, H. Wang and G. Malecki, **Dalton Trans.**, 49 (2020), 11385, [DOI: 10.1039/D0DT01476A](https://doi.org/10.1039/D0DT01476A) ; IF: 4.174; ISSN: 1477-9234.
- 96 Nickel(II) – N[^]N[^]O Pincer Type Complexes Catalyzed N-alkylation of Amines with Alcohols via Hydrogen Auto Transfer Reaction
G. Balamurugan, R. Ramesh* and G. Malecki, **J. Org. Chem.**, 85 (2020)7125.
[DOI: 10.1021/acs.joc.0c00530](https://doi.org/10.1021/acs.joc.0c00530); IF:4.335; ISSN: 1520-6904
- 95 Synthesis and Structure of Arene Ru(II) N[^]O-Chelating Complexes: In Vitro Cytotoxicity and Cancer Cell Death Mechanism,
S. Balaji, M.M. Khan, R. Ramesh*, H. Wang and D. Semeril, **Organometallics**, 39 (2020) 1366. DOI: [10.1021/acs.organomet.0c00092](https://doi.org/10.1021/acs.organomet.0c00092); IF: 3.804; ISSN:1099-0739
- 94 Efficient construction of C-C bonds from aryl halides/aryl esters with arylboronic acids catalysed by palladium(II) thiourea complexes
T.S. Manikandan, R. Ramesh* and G. Malecki, **Appl. Organomet. Chem.**,
[DOI:10.1002/aoc.5181](https://doi.org/10.1002/aoc.5181); IF:3.259; ISSN:1099-0739
- 93 Synthesis of the First Resorcin[4]arene-Functionalized Triazolium Salts and Their Use in Suzuki Miyaura Cross-Coupling Reactions
D. Sémeril,* D. Matt and R. Ramesh, **Catalysts**, 9 (2019) 388.
[DOI: 10.3390/catal9040388](https://doi.org/10.3390/catal9040388); IF:3.444; ISSN:2073-4344
- 92 Direct synthesis of 2,4,5-trisubstituted imidazoles from primary alcohols by diruthenium(II) catalysts under aerobic conditions
S. Saranya and R. Rengan*, **Organic & Biomolecular Chemistry**, 17 (2019) 1402.
[DOI: 10.1039/C8OB02785D](https://doi.org/10.1039/C8OB02785D); IF:3.490; ISSN: 1477-0539
- 91 The Tandem C–H/N–H Activation of N-Methyl Arylamide Catalyzed by Dinuclear Pd(II) Benzhydrazone Complex: A Concise Access to Phenanthridinone
T.S. Manikandan, R. Ramesh* and D. Semeril, **Organometallics**, 38 (2019) 319.
[DOI:10.1021/acs.organomet.8b00714](https://doi.org/10.1021/acs.organomet.8b00714); IF:4.100; ISSN: 1520-6041

- 90 Synthesis and Structures of Arene Ruthenium(II)-NHC complexes: Efficient catalytic α - alkylation of ketones via hydrogen auto transfer reaction.
G. Balamurugan, S. Balaji, R.Ramesh* and N. Bhuvanesh, **Appl.Organomet.Chem.**, [DOI:10.1002/aoc.4696](https://doi.org/10.1002/aoc.4696); IF:3.259; ISSN:1099-0739
- 89 Chiral calixarene and resorcinarene derivatives: Conical cavities substituted at their upper rim by two phosphito units and their uses as ligands in Rh- catalysed hydroformylation
N. Natarajan, M. Pierrevekin, D. Semeril, C. Bauder, D. Matt and R. Ramesh, **Catalysis Commun.**, 118 (2019) 70–75. DOI: [10.1016/j.catcom.2018.09.020](https://doi.org/10.1016/j.catcom.2018.09.020); IF: 3.674; ISSN: 1566-7367
- 88 Synthesis and structure of arene ruthenium(II) complexes: one pot catalytic approach to synthesis of bioactive quinolines under mild condition
S. Muthumari, S. Saranya and R. Ramesh*, **Appl.Organomet.Chem.**, [DOI: 10.1002/aoc.4582](https://doi.org/10.1002/aoc.4582); IF: 3.259; ISSN:1099-0739
- 87 Synthesis and structure of arene ruthenium(II) benzhydrazone complexes: Antiproliferative activity, apoptosis induction and cell cycle analysis
R. Raj Kumar, R. Ramesh* and G. Malecki, **J. Organomet. Chem.**, 862 (2018) 95-104. DOI: [10.1016/j.jorganchem.2018.03.013](https://doi.org/10.1016/j.jorganchem.2018.03.013); IF: 2.173; ISSN: 0022-328X
- 86 Synthesis and structure of Ru(II) complexes of thiosemicarbazones: Highly selective catalysts for oxidation of olefins to aldehydes
S. Muthumari and R. Ramesh*, **ChemistrySelect** 3 (2018) 3036–3041. DOI: [10.1002/slct.201800163](https://doi.org/10.1002/slct.201800163); IF: 1.716; ISSN:2365-6549
- 85 Direct aerobic strategy for selective synthesis of imines via alcohols and amines promoted by ruthenium(II) (η^6 -cymene) complexes
T. S. Manikandan, S. Naveen, N. Loknath and R. Ramesh*, **ChemistrySelect**, 3 (2018) 1561-1568. DOI:[10.1002/slct.201800083](https://doi.org/10.1002/slct.201800083); IF: 1.716; ISSN:2365-6549
- 84 Synthesis, antiproliferative activity and apoptosis promoting effects of arene Ru(II) complexes with N, O chelating ligands
N. Mohan, M.M. Khan and R. Ramesh*, **J. Organomet. Chem.**, 859 (2018) 124-131. DOI: [10.1016/j.jorganchem.2018.01.022](https://doi.org/10.1016/j.jorganchem.2018.01.022); IF: 2.173; ISSN: 0022-328X
- 83 Synthesis and structure of new binuclear ruthenium(II) arene benzyl bis(benzoylhydrazone) complexes: Investigation on antiproliferative activity and apoptosis induction
M. Subarkhan, S. Saranya, and R. Ramesh*, **Inorg. Chem. Front.**, 5 (2018) 585. DOI:[10.1039/C7QI00761B](https://doi.org/10.1039/C7QI00761B); IF: 5.934; ISSN: 2409-3424
- 82 Cavitand chemistry: nickel half-sandwich complexes with imidazolylidene ligands bearing one or two resorcinarenyl substituents
N. Natarajan, T. Chavagnan, D. Sémeril*, E. Brenner, D. Matt, R. Ramesh, and L. Toupet, **Eur. J. Inorg. Chem.**, (2018) 890–896 DOI: [10.1002/ejic.201701143](https://doi.org/10.1002/ejic.201701143); IF:2.578; ISSN:1099-0682
- 81 Cyclometalated Ru(II)-NHC complexes as effective catalysts for transfer hydrogenation: Influence of wintip group on catalytic outcomes
G. Balamurugan, R. Ramesh* and G. Małeckı, **ChemistrySelect**, 2 (2017) 10603. DOI: [10.1002/slct.201702102](https://doi.org/10.1002/slct.201702102); IF: 1.716; ISSN:2365-6549

- 80 One-pot catalytic approach for the selective aerobic synthesis of imines from alcohols and amines using efficient arene diruthenium(II) catalysts under mild condition S. Saranya, R. Ramesh* and G. Małecki., **Eur. J. Org. Chem.**, (2017) 6726.
[DOI: 10.1002/ejoc.201701408](https://doi.org/10.1002/ejoc.201701408); IF:2.578; ISSN:1099-0682
- 79 Versatile coordination ability of thioamide ligand in Ru(II) complexes: synthesis, computational studies, in vitro anticancer activity and apoptosis induction R. Raj Kumar, R. Ramesh* and G. Malecki, **New. J. Chem.**, 41 (2017) 9130.
[DOI:10.1039/C7NJ01828B](https://doi.org/10.1039/C7NJ01828B); IF: 3.069; ISSN: 1369-9261
- 78 Transfer hydrogenation of ketones catalyzed by half-sandwich (η^6 -p-cymene) ruthenium(II) complexes incorporating benzoylhydrazone ligands N. Mohan, S. Muthumari and R. Ramesh*, **Appl. Organomet. Chem.**, 31(2017) 3648.
[DOI: 10.1002/aoc.3648](https://doi.org/10.1002/aoc.3648); IF:3.259; ISSN:1099-0739
- 77 Synthesis and structural characterization of Pd(II) thiosemicarbazone complex: catalytic evaluation in synthesis of diaryl ketones from aryl aldehydes and arylboronic acids R. N. Prabhu and R. Ramesh*, **Tetrahedron Lett.**, 58 (2017) 405.
DOI: [10.1016/j.tetlet.2016.12.032](https://doi.org/10.1016/j.tetlet.2016.12.032); IF: 2.379; ISSN: 0040-4020
- 76 Ru(II) carbazole thiosemicarbazone complexes with four membered chelate ring: Synthesis, molecular structures and evaluation of biological activities R. Raj Kumar, R. Ramesh* and G. Malecki, **J. Photochem. Photobiol B: Biol.** 165 (2016) 310.
[DOI: 10.1016/j.jphotobiol.2016.10.039](https://doi.org/10.1016/j.jphotobiol.2016.10.039); IF: 4.067; ISSN:1011-1344
- 75 Steric control on the coordination behaviour of carbazole thiosemicarbazones towards [RuH(Cl)(CO)(AsPh₃)₃]: A combined experimental and theoretical study R. Raj Kumar, R. Ramesh and G. Malecki, **New. J. Chem.**, 40 (2016) 10084.
[DOI:10.1039/C6NJ02430K](https://doi.org/10.1039/C6NJ02430K); IF: 3.069; ISSN: 1369-9261
- 74 Synthesis and molecular structure of arene ruthenium(II) benzhydrazone complexes: Impact of substitution at chelating ligand and arene moiety on antiproliferative activity M. Mohamed Subarkhan, R. Ramesh, Y. Liu, **New J. Chem.**, 40 (2016) 9813.
[DOI:10.1039/C6NJ01936E](https://doi.org/10.1039/C6NJ01936E); IF: 3.069; ISSN: 1369-9261
- 73 Synthesis and characterization of cycloruthenated benzhydrazone complexes: Catalytic applications to selective oxidative cleavage of olefins to aldehyde. T.S. Manikandan, R. Ramesh, D. Semeril, **RSC Adv.**, 6 (2016) 97107.
[DOI:10.1039/C6RA19044H](https://doi.org/10.1039/C6RA19044H); IF: 3.049; ISSN: 2046-2069
- 72 Square-planar Ni(II) thiosemicarbazone complex as an easily accessible and convenient catalyst for Sonogashira cross-coupling reaction R. N. Prabhu and R. Ramesh*, **Tetrahedron Lett.**, 57 (2016) 4893.
DOI:[10.1016/j.tetlet.2016.09.049](https://doi.org/10.1016/j.tetlet.2016.09.049); IF: 2.379; ISSN: 0040-4020
- 71 Ruthenium(II) Arene Complexes Containing Benzhydrazones: Synthesis, structure and Antiproliferative Activity M. Mohamed Subarkhan , S. Saranya and R. Ramesh*, **Inorg. Chem. Front.**, 3(2016) 1245. [DOI: 10.1039/C6QI00197A](https://doi.org/10.1039/C6QI00197A); IF: 5.934; ISSN: 2409-3424
- 70 Synthesis and catalytic evaluation of ruthenium(II) benzhydrazone complex in transfer hydrogenation of ketones T. S. Manikandan, S. Saranya, R. Ramesh*, **Tetrahedron Lett.**,57 (2016) 3764.
DOI:[10.1016/j.tetlet.2016.07.020](https://doi.org/10.1016/j.tetlet.2016.07.020); IF: 2.379; ISSN: 0040-4020

- 69 Highly efficient palladium(II) hydrazone based catalysts for the Suzuki coupling reaction in aqueous medium
S. Muthumari and R. Ramesh*, **RSC Adv.**, 6 (2016) 52101.
[DOI:10.1039/C6RA06734D](https://doi.org/10.1039/C6RA06734D); **IF: 3.049**; **ISSN: 2046-2069**
- 68 Antiproliferative activity of cationic and neutral thiosemicarbazone copper(II) complexes
M. Mohamed Subarkhan, R. N. Prabhu, R. Raj Kumar and R. Ramesh*, **RSC Adv.**, 6 (2016), 25082.
[DOI:10.1039/C5RA26071J](https://doi.org/10.1039/C5RA26071J); **IF: 3.049**; **ISSN: 2046-2069**
- 67 Efficient and recyclable Ru(II) arene thioamide catalysts for transfer hydrogenation of ketones: Influence of substituent on catalytic outcome
A. Kanchanadevi, R. Ramesh* and D. Semeril, **J. Organomet.Chem.**, 808 (2016) 68.
[DOI:10.1016/j.jorganchem.2016.02.016](https://doi.org/10.1016/j.jorganchem.2016.02.016); **IF: 2.173**; **ISSN: 0022-328X**
- 66 Synthesis, structure and anticancer activity of (η^6 -benzene) ruthenium(II) complexes containing aroylhydrazone ligands
N. Mohan, S. Muthumari and R. Ramesh*, **J. Organomet. Chem.**, 807 (2016) 45.
[DOI: 10.1016/j.jorganchem.2016.01.033](https://doi.org/10.1016/j.jorganchem.2016.01.033); **IF: 2.173**; **ISSN: 0022-328X**
- 65 Synthesis, molecular structure and electrochemical properties of nickel(II) benzhydrazone complexes: Influence of ligand substitution on DNA/protein interaction, antioxidant activity and cytotoxicity
R. Raj Kumar, and R. Ramesh*, **RSC Adv.**, 5 (2015) 101932.
[DOI: 10.1039/C5RA19530F](https://doi.org/10.1039/C5RA19530F); **IF: 3.049**; **ISSN: 2046-2069**
- 64 Synthesis and structure of nickel(II) thiocarboxamide complexes: effect of ligand substitutions on DNA/Protein binding, antioxidant and cytotoxicity.
R. Raj Kumar, M. Mohamed Subarkhan and R. Ramesh*, **RSC Adv.**, 5 (2015) 46760.
[DOI:10.1039/C5RA06112A](https://doi.org/10.1039/C5RA06112A); **IF: 3.049**; **ISSN: 2046-2069**
- 63 An efficient trifunctional benzhydrazone ligated Pd(II) complex for Heck reactions of aryl bromides.
S. Muthumari, N. Mohan and R. Ramesh* **Tetrahedron Lett.**, 56(2015) 4170.
[DOI:10.1016/j.tetlet.2015.05.016](https://doi.org/10.1016/j.tetlet.2015.05.016); **IF: 2.379**; **ISSN: 0040-4020**
- 62 Synthesis and molecular structure of ruthenium (III) benzoylhydrazone complexes: Substituents effect on transfer hydrogenation of ketones.
A.Kanchanadevi, R. Ramesh* and N. Bhuvanesh, **J. Organomet.Chem.**, 788 (2015)49.
[DOI:10.1016/j.jorganchem.2015.04.032](https://doi.org/10.1016/j.jorganchem.2015.04.032); **IF: 2.173**; **ISSN: 0022-328X**
- 61 Synthesis of Ru(II) pyridoxal thiosemicarbazone complex and its catalytic application to one-pot conversion of aldehydes to primary amides.
A. Kanchanadevi, R. Ramesh* and David Semeril, **Inorg. Chem. Commun.**, 56 (2015)116. [DOI: 10.1016/j.inoche.2015.04.006](https://doi.org/10.1016/j.inoche.2015.04.006); **IF: 1.795**; **ISSN: 1387-7003**
- 60 Studies on synthesis, spectral, magnetic and electrochemical behavior of binuclear ruthenium(III) thiosemicarbazone complexes.
M. Mohamed Subarkhan and R. Ramesh*, **Spectrochimica.Acta. Part A: Mol. & Biomol. Spectroscopy.**, 138 (2015) 264. [DOI: 10.1016/j.saa.2014.11.039](https://doi.org/10.1016/j.saa.2014.11.039); **IF: 2.931**; **ISSN: 1386-1425**
- 59 Direct synthesis of amides from coupling of alcohols and amines catalyzed by ruthenium(II) thiocarboxamide complexes under aerobic conditions
E. Sindhuja, S. Balaji, R. Ramesh* and Y.Liu., **Organometallics**, 33 (2014) 4269.
[DOI: 10.1021/om500556b](https://doi.org/10.1021/om500556b); **IF: 3.862**; **ISSN: 1520-6041**

- 58 Direct synthesis of imines from alcohols and amines using an active ruthenium(II) NNN-pincer complex.
E. Sindhuja and R. Ramesh **Tetrahedron Lett.**, 55 (2014) 5504.
[DOI:10.1016/j.tetlet.2014.08.035](https://doi.org/10.1016/j.tetlet.2014.08.035); IF: 2.379; ISSN: 0040-4020
- 57 DNA/Protein interaction and cytotoxicity of palladium(II) complexes of thiocarboxamide ligands.
E. Sindhuja, R. Ramesh* and Y. Liu, **Inorg. Chim. Acta.**, 416 (2014) 1.
DOI: [10.1016/j.ica.2014.03.002](https://doi.org/10.1016/j.ica.2014.03.002); IF: 2.433; ISSN:0020-1693
- 56 Synthesis, spectral and electrochemical studies of binuclear Ru(III) complexes containing dithiosemicarbazone ligand
A. Kanchana Devi and R. Ramesh, **Spectrochim. Acta. Part A: Mol. & Biomol. Spectroscopy**, 117 (2014) 138. DOI: [10.1016/j.saa.2013.07.040](https://doi.org/10.1016/j.saa.2013.07.040); IF: 2.931; ISSN: 1386-1425
- 55 Palladium(II) thiosemicarbazone catalyzed Suzuki-Miyaura cross coupling reactions of aryl halides
D. Pandiarajan and R. Ramesh*, Yu Liu and R. Suresh, **Inorg. Chem. Commun.**, 33 (2013) 33.
DOI: [10.1016/j.inoche.2013.03.032](https://doi.org/10.1016/j.inoche.2013.03.032); IF: 1.795; ISSN: 1387-7003
- 54 Synthesis and structural characterization of palladium(II) thiosemicarbazone complex: Application to the Buchwald-Hartwig amination reaction
R. N. Prabhu and R. Ramesh*, **Tetrahedron Lett.**, 54 (2013) 1120.
DOI: [10.1016/j.tetlet.2012.12.070](https://doi.org/10.1016/j.tetlet.2012.12.070); IF: 2.379; ISSN: 0040-4020
- 53 Ruthenium(II) half-sandwich complexes containing thioamides : Synthesis, structures and catalytic transfer hydrogenation of ketones
D. Pandiarajan and R. Ramesh*, **J. Organomet. Chem.**, 723 (2013) 26 (**Top 25 Hottest Article**). DOI: [10.1016/j.jorganchem.2012.10.003](https://doi.org/10.1016/j.jorganchem.2012.10.003); IF: 2.173; ISSN: 0022-328X
- 52 Catalytic application of dinuclear palladium(II) bis(thiosemicarbazone) complex in the Mizoroki-Heck reaction.
R. N. Prabhu and R. Ramesh*, **Tetrahedron Lett.**, 53 (2012) 5961.
[DOI: 10.1016/j.tetlet.2012.08.120](https://doi.org/10.1016/j.tetlet.2012.08.120); IF: 2.379; ISSN: 0040-4020
- 51 Synthesis, structural characterization, electrochemistry and catalytic transfer hydrogenation of ruthenium(II) carbonyl complexes containing tridentate benzoylhydrazone ligands
R. N. Prabhu and R. Ramesh*, **J. Organomet. Chem.**, 718 (2012) 43.
DOI: [10.1016/j.jorganchem.2012.08.002](https://doi.org/10.1016/j.jorganchem.2012.08.002); IF: 2.173; ISSN: 0022-328X
- 50 Binuclear ruthenium(II) pyridazine complex catalyzed transfer hydrogenation of ketones
N. Raja and R. Ramesh* **Tetrahedron Lett.**, 53 (2012) 4770.
DOI: [10.1016/j.tetlet.2012.06.119](https://doi.org/10.1016/j.tetlet.2012.06.119); IF: 2.379; ISSN: 0040-4020
- 49 Ruthenium(II) carbonyl complexes containing benzhydrazonoligands: Synthesis, structure and facile one-pot conversion of aldehydes to amides
R. N. Prabhu and R. Ramesh*, **RSC Adv.**, 2 (2012) 4515.
DOI: [10.1039/C2RA20382K](https://doi.org/10.1039/C2RA20382K); IF: 3.049; ISSN: 2046-2069
- 48 Palladium(II) thiocarboxamide complexes: Synthesis, characterisation and application to catalytic Suzuki coupling reactions
E. Sindhuja, R. Ramesh* and Y. Liu, **Dalton Trans.**, 41 (2012) 5351.
[DOI:10.1039/C2DT12243J](https://doi.org/10.1039/C2DT12243J); IF: 4.052; ISSN: 1477-9234

- 47 Suzuki-Miyaura cross-coupling reaction of aryl bromides catalyzed by palladium(II) pyridoxal hydrazone complexes
D. Pandiarajan and R. Ramesh*, **J. Organomet. Chem.**, 708-709 (2012) 18 (**Top 25 Hottest Article**). DOI: [10.1016/j.jorganchem.2012.02.010](https://doi.org/10.1016/j.jorganchem.2012.02.010); IF: 2.173; ISSN: 0022-328X
- 46 Ruthenium(II) NNO pincer type catalyst for the conversion of aldehydes to amides
N. Raja, M. U. Raja and R. Ramesh* **Inorg. Chem. Commun** 19 (2012) 51.
DOI: [10.1016/j.inoche.2012.01.035](https://doi.org/10.1016/j.inoche.2012.01.035); IF: 1.795; ISSN: 1387-7003
- 45 μ -Halo bridged binuclear ruthenium(III) complexes featuring pyridazine ligands: Synthesis, structure, spectral and electrochemical properties
D. Pandiarajan and R. Ramesh*, **Polyhedron**, 34 (2012) 136.
DOI: [10.1016/j.poly.2011.12.035](https://doi.org/10.1016/j.poly.2011.12.035); IF: 2.284; ISSN: 0277-5387
- 44 Cationic arene ruthenium(II) complexes bearing N, S chelating thiocarboxamides: Synthesis, structure, characterization and catalytic oxidation of alcohols
M.U. Raja and R. Ramesh*, **J. Organomet. Chem.**, 699 (2012) 5.
DOI: [10.1016/j.jorganchem.2011.10.018](https://doi.org/10.1016/j.jorganchem.2011.10.018); IF: 2.173; ISSN: 0022-328X
- 43 Paramagnetic ruthenium(III) complexes bearing O,O chelating ligands: Synthesis, spectra, molecular structure and electron transfer properties
N. Raja, R. Ramesh* and Yu Liu, **Polyhedron**, 31(2012) 196.
DOI: [10.1016/j.poly.2011.09.019](https://doi.org/10.1016/j.poly.2011.09.019); IF: 2.284; ISSN: 0277-5387
- 42 New binuclear Pd(II) thioamide complexes for the Heck reaction of aryl bromides.
M. Ulaganatha Raja, R Ramesh* and Y.Liu, **Tetrahedron Lett.**, 52(2011) 5427.
DOI: [10.1016/j.tetlet.2011.07.080](https://doi.org/10.1016/j.tetlet.2011.07.080); IF: 2.379; ISSN: 0040-4020
- 41 Copper(I) hydrazone complexes: Synthesis, structure, DNA binding, radical scavenging and computational studies.
P. Krishnamoorthy, P.Sathyadevi, K.Senthilkumar, P. Thomas Muthiah and R. Ramesh, N. Dharmaraj*, **Inorg. Chem. Commun.**, 14 (2011) 1318.
DOI: [10.1016/j.inoche.2011.05.004](https://doi.org/10.1016/j.inoche.2011.05.004); IF: 1.795; ISSN: 1387-7003
- 40 Catalytic transfer hydrogenation of ketones by ruthenium(II) cyclometalated complex containing para-chloroacetophenone thiosemicarbazones.
D. Pandiarajan and R. Ramesh*, **Inorg. Chem. Commun.** 14(2011) 686.
DOI: [10.1016/j.inoche.2011.02.006](https://doi.org/10.1016/j.inoche.2011.02.006); IF: 1.795; ISSN: 1387-7003
- 39 Arene ruthenium(II) p-chloroacetophenonephenyl thiosemicarbazone complex mediated transfer hydrogenation of ketones.
M. Ulaganatha Raja, E. Sindhuja and R. Ramesh* **Inorg. Chem. Commun.** 13 (2010) 1321. DOI: [10.1016/j.inoche.2010.07.026](https://doi.org/10.1016/j.inoche.2010.07.026); IF: 1.795; ISSN: 1387-7003
- 38 Synthesis, crystal structure and catalytic activity of ruthenium(II) carbonyl complexes containing ONO and ONS donor ligands
M. Ulaganatha Raja, N. Gowri and R. Ramesh* **Polyhedron**, 29 (2010) 1175.
DOI: [10.1016/j.poly.2009.12.009](https://doi.org/10.1016/j.poly.2009.12.009); IF: 2.284; ISSN: 0277-5387
- 37 Mononuclear ruthenium(III) complexes containing chelating thiosemicarbazones: Synthesis, characterization and catalytic property
N. Raja and R. Ramesh* **Spectrochim. Acta. Part A: Mol. & Biomol. Spectroscopy**. 75 (2010) 713. DOI: [10.1016/j.saa.2009.11.044](https://doi.org/10.1016/j.saa.2009.11.044); IF: 2.931; ISSN: 1386-1425
- 36 Transfer hydrogenation of ketones using recyclable (η^6 -arene)ruthenium(II) naphthylazo-p-methyl phenolate complex
M. Ulaganatha Raja, N. Raja and R. Ramesh*, **The Open Catalysis Journal** 2 (2009)

188. DOI: [10.2174/1876214X01003010030](https://doi.org/10.2174/1876214X01003010030); ISSN: 1876-214X

- 35 Rhodium(III) NCN pincer complexes catalyzed transfer hydrogenation of ketones
M. Ulaganatha Raja, R. Ramesh* and K. H. Ahn, **Tetrahedron Lett.**, 50 (2009) 7014.
DOI: [10.1016/j.tetlet.2009.09.152](https://doi.org/10.1016/j.tetlet.2009.09.152); IF: 2.379; ISSN: 0040-4020
- 34 Ruthenium(II) mediated C-H activation of substituted acetophenone thiosemicarbazones: Synthesis, structural characterization, luminescence and electrochemical properties.
Rupesh N. Prabhu, D. Pandiarajan and R. Ramesh*, **J. Organomet.Chem.** 694 (2009) 4170. DOI: [10.1016/j.jorganchem.2009.09.010](https://doi.org/10.1016/j.jorganchem.2009.09.010); IF: 2.173; ISSN: 0022-328X
- 33 Ruthenium(II) carbonyl complexes of dehydroacetic acid thiosemicarbazone: Synthesis, structure, light emission and biological activity.
S. Kannan, R. Ramesh* and Yu Liu, **J. Organomet. Chem.**, 693 (2008) 2251.
DOI:[10.1016/j.jorganchem.2008.03.023](https://doi.org/10.1016/j.jorganchem.2008.03.023); IF: 2.173; ISSN: 0022-328X
- 32 Binuclear ruthenium(III) Schiff base complexes bearing N4O4 donor and their catalytic oxidation of alcohols
G. Venkatachalam, N. Raja, D. Pandiarajan and R. Ramesh*, **Spectrochim. Acta. Part A: Mol. & Biomol. Spectroscopy**, 71 (2008) 884.
DOI:[10.1016/j.saa.2008.02.006](https://doi.org/10.1016/j.saa.2008.02.006); IF: 2.931; ISSN: 1386-1425
- 31 Ruthenium(III) complexes of amine-bis(phenolate) ligands as catalysts for transfer hydrogenation of ketones
Sethuraman Kannan, K. Naresh Kumar and R. Ramesh*, **Polyhedron**, 27 (2008) 701.
DOI: [10.1016/j.poly.2007.10.024](https://doi.org/10.1016/j.poly.2007.10.024); IF: 2.284; ISSN:0277-5387
- 30 Half-sandwich para-cymene ruthenium(II) naphthylazophenolato complexes: Synthesis, molecular structure, light emission, redox behavior and catalytic oxidation properties
K. Naresh Kumar, G. Venkatachalam, R. Ramesh* and Yu Liu, **Polyhedron**, 27 (2008) 157. DOI: [10.1016/j.poly.2007.08.037](https://doi.org/10.1016/j.poly.2007.08.037); IF: 2.284; ISSN:0277-5387
- 29 Cyclometallatedplatinum(II) complexes derived from a chiral pyridine ligand: Synthesis, structure and catalytic activity
M. S. Yoon, D. Ryu, R. Ramesh and K. H. Ahn, **Bull. Korean.Chem. Soc.**, 28 (2007) 2045.
DOI: [10.1002/chin.200814035](https://doi.org/10.1002/chin.200814035); IF: 0.602; ISSN:1229-5949
- 28 Ruthenium(III) mediated C-H activation of azonaphthol: Synthesis, structural characterization and transfer hydrogenation of ketones
S. Kannan, R. Ramesh* and Yu Liu, **J. Organomet. Chem.**, 692 (2007) 3380 (**Top 25 Hottest Article**). DOI: [10.1016/j.jorganchem.2007.04.042](https://doi.org/10.1016/j.jorganchem.2007.04.042), IF: 1.00 ISSN: 0022-328X
- 27 Luminescent property and catalytic activity of Ru(II) carbonyl complexes containing N,O donor of 2-hydroxy-1-naphthylideneimines.
M. SivagamaSundari and R. Ramesh*, **Spectrochim.Acta. Part A: Mol. & Biomol. Spectroscopy.**, 66 (2007) 427. DOI:[10.1016/j.saa.2006.03.017](https://doi.org/10.1016/j.saa.2006.03.017); IF: 2.931; ISSN: 1386-1425
- 26 Synthesis, structure and catalytic activity of cycloruthenated carbonyl complexes containing arylazophenolate ligands.
K. Naresh Kumar, R. Ramesh* and Yu Liu, **J. Mol. Cat. A:Chem.**, 265 (2007) 218.
DOI: [10.1016/j.molcata.2006.10.015](https://doi.org/10.1016/j.molcata.2006.10.015); IF: 3.890; ISSN:1381-1169

- 25 Synthesis, characterization, catalytic oxidation and biological activity of ruthenium(III) Schiff base complexes derived from 3-acetyl-6-methyl-2H-pyran-2,4(3H)-dione.
S. Kannan and R. Ramesh*, **Polyhedron** 25(2006) 3095 (Top 25 Hottest Article).
DOI: [10.1016/j.poly.2006.05.042](https://doi.org/10.1016/j.poly.2006.05.042); IF: 2.284; ISSN:0277-5387
- 24 Chiral Pt(II)/Pd(II) pincer complexes that show C-H...Cl hydrogen bonding: Synthesis and application in catalytic aldol and silylcyanation reactions
M. S. Yoon, R. Ramesh, J. Kim, D. Ryu and K. H. Ahn*, **J. Organomet.Chem.**, 691 (2006) 5927.
[DOI: 10.1016/j.jorganchem.2006.09.055](https://doi.org/10.1016/j.jorganchem.2006.09.055); IF: 2.173; ISSN: 0022-328X
- 23 Synthesis of a homochiral carboxylate-containing tetradentate ligand and its Co(III) complex.
S. J. Lee, H. R. Sung, J.-H.Sen, R. Ramesh and K.. H. Ahn*, **Inorg. Chem. Commun.**, 9 (2006) 518. DOI: [10.1016/j.inoche.2006.02.023](https://doi.org/10.1016/j.inoche.2006.02.023); IF: 1.795; ISSN: 1387-7003
- 22 Ruthenium(III)bis-bidentate Schiff base complexes mediated transfer hydrogenation of imines.
G. Venkatachalam and R. Ramesh*, **Inorg. Chem. Commun.**, 9 (2006) 703.
[DOI:10.1016/j.inoche.2006.04.012](https://doi.org/10.1016/j.inoche.2006.04.012); IF: 1.795; ISSN: 1387-7003
- 21 Synthesis and structure of cycloruthenated carbonyl complexes and their emission, redox and biological properties.
K. Naresh Kumar, R. Ramesh* and Yu Liu, **J. Inorg. Biochem.**, 100 (2006) 18.
DOI: [10.1016/j.jinorgbio.2005.09.015](https://doi.org/10.1016/j.jinorgbio.2005.09.015); IF: 3.224; ISSN:0162-0134
- 20 Ruthenium(III) Schiff base complexes of [ONNO]-type mediated transfer hydrogenation of ketones.
G. Venkatachalam, R. Ramesh*, **Inorg. Chem. Commun**, 8 (2005) 1009.
[DOI: 10.1016/j.inoche.2005.08.004](https://doi.org/10.1016/j.inoche.2005.08.004); IF: 1.795; ISSN: 1387-7003
- 19 Catalytic transfer hydrogenation of ketones catalyzed by orthometallated ruthenium(III)2-(aryloxy)phenolate complexes bearing triphenylarsine.
G. Venkatachalam and R. Ramesh*, **Tetrahedron Lett.**, 41 (2005) 5215.
[DOI: 10.1016/j.tetlet.2005.05.116](https://doi.org/10.1016/j.tetlet.2005.05.116); IF: 2.379; ISSN: 0040-4020
- 18 Synthesis, structure, catalytic transfer hydrogenation and biological activity of cyclometallated ruthenium(III)2-(aryloxy)phenolate complexes.
G. Venkatachalam R. Ramesh* and M. Mobin.**J. Organomet. Chem.**, 690 (2005) 3937.
[DOI: 10.1016/j.jorganchem.2005.05.039](https://doi.org/10.1016/j.jorganchem.2005.05.039); IF: 2.173; ISSN: 0022-328X
- 17 Synthesis, luminescent, redox and catalytic properties of Ru(II) carbonyl complexes containing 2N2O donors.
K. Naresh Kumar and R. Ramesh*, **Polyhedron**, 24 (2005) 1885 (Top 25 Hottest Article). [DOI: 10.1016/j.poly.2005.05.020](https://doi.org/10.1016/j.poly.2005.05.020); IF: 2.284; ISSN:0277-5387
- 16 Synthesis, characterization and electrochemical studies of ruthenium(II) carbonyl complexes containing bidentate Schiff bases and triphenylphosphine / nitrogen heterocycles.
S. Kannan and R. Ramesh*, **J. Coord. Chem.**, 58 (2005) 567.
[DOI: 10.1080/00958970500038910](https://doi.org/10.1080/00958970500038910); IF: 1.685; ISSN: 0095-8972
- 15 Synthesis, spectra, redox and catalytic properties of ruthenium(III) Schiff base complexes.
G. Venkatachalam, S. Maheswaran and R. Ramesh*, **Ind. J. Chem.**, 44A (2005) 705.
<http://nopr.niscair.res.in/bitstream/123456789/18066/1/IJCA%2044A%284%29%20705-709.pdf>; IF: 0.483; ISSN:0975-0975

- 14 Catalytic and biological activities of Ru(III) complexes with N,O donors of 2-hydroxy-1-naphthylideneimines.
G. Venkatachalam and R. Ramesh*, **Spectrochim. Acta. Part A: Mol. & Biomol. Spectroscopy**, 61 (2005) 2081.
DOI: [10.1016/j.saa.2004.08.008](https://doi.org/10.1016/j.saa.2004.08.008); IF: 2.931; ISSN: 1386-1425
- 13 Synthesis, characterization, redox property and biological activity of Ru(II) carbonyl complexes containing O,N-donor ligands and heterocyclic bases.
K. Naresh Kumar and R. Ramesh*, **Spectrochim. Acta Part A: Mol. & Biomol. Spectroscopy**, 60 (2004) 2913. DOI: [10.1016/j.saa.2004.02.011](https://doi.org/10.1016/j.saa.2004.02.011); IF: 2.931; ISSN: 1386-1425
- 12 Spectral and catalytic studies of ruthenium(III) Schiff base complexes.
R. Ramesh*, **Inorg. Chem. Commun.**, 7 (2004) 274.
DOI: [10.1016/j.inoche.2003.11.020](https://doi.org/10.1016/j.inoche.2003.11.020); IF: 1.795; ISSN: 1387-7003
- 11 2-chloro-(3-methoxysalicylidene)aniline.
S. Francis, P. T. Muthiah, G. Venkatachalam and R. Ramesh, **Acta Cryst**, E59 (2003) o1045. DOI: [10.1107/S1600536803013606](https://doi.org/10.1107/S1600536803013606); IF: 1.878; ISSN: 2053-2733
- 10 6,6'-Dimethoxy-2,2'-[(1R,2R)-cyclohexane-1,2-diylbis(nitrilomethylidene)-diphenol: three C-H...O hydrogen bonds generate a three-dimensional framework.
E. M. Mohamed, S. Muralidharan, K. Panchanatheswaran, R. Ramesh, J. N. Low and C. Glidewell, **Acta. Cryst. Sec. C**, 59 (2003) o367.
DOI: [10.1107/S0108270103010205](https://doi.org/10.1107/S0108270103010205); IF: 1.878; ISSN: 2053-2733
- 9 Synthesis, characterization, dioxygen affinity and antifungal activity of Ru(III) Schiff base complexes.
R. Ramesh* and S. Maheswaran, **J. Inorg. Biochem.**, 96 (2003) 457.
DOI: [10.1016/S0162-0134\(03\)00237-X](https://doi.org/10.1016/S0162-0134(03)00237-X); IF: 3.224; ISSN: 0162-0134
- 8 Synthesis, spectral and antifungal activity of Ru(II) mixed-ligand complexes.
R. Ramesh* and M. Sivagamasundari, **Synth. React. Inorg. Met. Org. Chem.**, 33 (2003) 899. DOI: [10.1081/SIM-120021656](https://doi.org/10.1081/SIM-120021656); IF: 0.5; ISSN: 1553-3174
- 7 Synthesis, spectra and redox properties of Ru(II) carbonyl Schiff base complexes.
R. Ramesh* and G. Venkatachalam, **Ind. J. Chem.**, 41A (2002) 2285.
<http://nopr.niscair.res.in/bitstream/123456789/18424/1/IJCA%2041A%2811%29%202285-2287.pdf>; IF: 0.483 ISSN: 0975-0975
- 6 Monofunctional bidentate Schiff Base complexes of Ru(III) containing triphenylphosphine arsine.
R. Ramesh, N. Dharmaraj, P. Karvembu and K. Natarajan., **Ind. J. Chem.**, 39 A, (2000) 1079.
<http://nopr.niscair.res.in/bitstream/123456789/21191/1/IJCA%2039A%2810%29%201079-1082.pdf>; IF: 0.483; ISSN: 0975-0975
- 5 Synthesis, Characterisation and Antifungal activities of Ru(III) complexes containing heterocyclic dithiocarbamates.
R. Ramesh and K. Natarajan, **Synth. React. Inorg. Met.-Org. Chem.**, 26, (1996) 1677.
DOI: [10.1080/00945719608004400](https://doi.org/10.1080/00945719608004400); IF: 0.5; ISSN: 1553-3174
- 4 Synthesis, Spectra and Electrochemistry of Ru(III) complexes with tetradentate Schiff bases.
R. Ramesh and K. Natarajan, **Synth. React Inorg. Met.-Org. Chem.**, 26, (1996) 47. DOI: [10.1080/00945719608004245](https://doi.org/10.1080/00945719608004245); IF: 0.5; ISSN: 1553-3174

- 3 Synthesis and Spectral studies of Ru(III) complexes with (mono-di-seleno)bis (β -diketone) and imidodi (thio-carbonic acid-o-alkylester).
R. Ramesh and K. Natarajan, **Ind. J. Chem.**, 34A, (1995) 535.
<http://nopr.niscair.res.in/bitstream/123456789/40152/1/IJCA%2034A%287%29%20535-539.pdf>; IF: 0.483 ISSN:0975-0975
- 2 Mixed-ligand complexes of Ru(III) containing α , β -Unsaturated- β -ketoamine and triphenylphosphine / arsine.
R. Ramesh and K. Natarajan, **Synth. React. Inorg.Met.-Org. Chem.**, 24, (1994) 1705.
DOI:[10.1080/00945719408003166](https://doi.org/10.1080/00945719408003166); IF: 0.5; ISSN: 1553-3174
- 1 β -Diketonate and α , β -Unsaturated- β -Ketoaminate complexes of Ru(II) containing Carbonyl, thiocarbonyl and pyridine ligands.
G. Muthusamy, R. Ramesh and K. Natarajan, **Synth. React. Inorg.Met.-Org. Chem.**, 24, (1994) 545. DOI: [10.1080/00945719408000132](https://doi.org/10.1080/00945719408000132); IF: 0.5; ISSN: 1553-3174